



Shandong Zhuoxing Chemical Co., Ltd.

Zibo Zhuoxing Enterprises Co., Ltd.

Concrete admixture superplasticizer based on PCE polymer

Introduction

Concrete admixture superplasticizer based on PCE polymer is an Eco-friendly new generation high performance polycarboxylate ether superplasticizer developed by our company.

Advantages/Characteristics:

1. Good dispersion even in mixes with high fines
2. High workability for longer periods
3. Lower pumping pressure
4. Resistance to segregation even at high workability
5. Extended setting with longer workability
6. Reduced water content for a given workability
7. Higher ultimate strengths
8. Increased ease in finishing concrete

Technical specifications

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.

Zibo Zhuoxing Enterprises Co., Ltd.

Items	Specification					
	SPC-02 Liquid(water reducing type)	SPS-03 Liquid(slump retention type)	SPS-04 Liquid (Early strength & water reducing type)	SPS-05 Liquid(long slump retention type)	SPS-06 powder (Water reducing type)	SPS-08 Powder (Water reducing type)
Appearance	White or light yellow to brown viscous liquid	White or light yellow to brown viscous liquid	Colorless or light yellow to brown viscous liquid	Colorless to light yellow viscous liquid	White or light yellow powder	White powder
Density	1.10±0.02 g/cm ³	1.10±0.02 g/cm ³	/	1.10±0.02 g/cm ³	500±50 Kg/m ³	500±50 Kg/m ³
pH (23°C)	5--7	5--7	6±1	5--7	6.0±1.0	6.0±1.0
Solid Content%	50±1.0	50±1.0	50±1	50±1.0	97.0±1.0	97.0±1.0
Moisture content%	/	/	/	/	≤3.0	≤3.0
Water Reducing Ratio%	/	≥15	≥25	≥15	≥25	≥25
Cl- %	≤0.02	≤0.02	≤0.02	≤0.02	≤0.02	≤0.02

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:https://www.sdzhuoxingpce.com,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.

Zibo Zhuoxing Enterprises Co., Ltd.

Alkali content%	≤0.3	≤0.3	≤0.3	/	≤0.3	≤0.3
Na ₂ SO ₄ %	/	/	/	≤0.3	/	/

Application

1. Ready mixed concrete
2. Long-distance transporting
3. Pumped concrete
4. High workability without segregation or bleeding
5. High performance concrete for durability

Storage and Safety

1. It should be stored at temperature from 0°C-40°C. Keep out of sun, rain, impurity. Avoid evaporation of water.
2. It is non-toxic, non-polluting and non-edible. Avoid touching with eyes and skin-allergy people. If touching, should clear with water and timely go to see doctor.

Shelf time: half year.

Contact information:

Shelly Cui

Mobile/Wechat: 0086 13053363281, 0086 17865273019

Mail: sales@zhuoxingchem.com, sales02@zhuoxingchem.com

Web site: <https://www.sdzhuoxingpce.com>, www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.

Zibo Zhuoxing Enterprises Co., Ltd.

Ella Yang

The seller: Zibo Zhuoxing Enterprises Co., Ltd.

Add: Room 1103, 11th Floor, Yunlong Plaza B, No.28 Huaguang Road, Zhangdian District, Zibo City , Shandong Province, China 255000

Manufacturer: Shandong Zhuoxing Chemical Co., Ltd.

Add: Xinhai Industrial Zone, Wudi County, Binzhou City, Shandong Province, China

Tel/Fax:0086 533 2284032

Mobile/ Wechat:0086 13053363281, 0086 18615126163,
0086 17865273019

Mail:sales@zhuoxingchem.com shellypce@hotmail.com
sales02@zhuoxingchem.com

Web site:www.zhuoxingchem.com

<http://sdzhuoxing.en.alibaba.com>

<https://www.sdzhuoxingpce.com>

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.

Zibo Zhuoxing Enterprises Co., Ltd.



Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com